

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1719	("430/270.13" or 369/94 or 428/64.9 or 428/64.5 or 430/270.11).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:17
S2	655185	(optical or laser or information) near5 (card or disc or disk or media or medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:32
S3	1627	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:32
S4	57082	phase adj change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:32
S5	817	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:32
S6	8641853	In or Indium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:33
S7	814	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:34
S8	244500	(dual or multi or multiple) near3 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:34
S9	264228	(dual or multi or multiple) near3 (film or layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:34

EAST Search History

S10	314	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:35
S11	327	S9 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:40
S12	927686	Ge or germanium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:40
S13	149098	Te or tellurium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 14:41
S14	185	S11 and S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:21
S15	0	gesbtein	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:21
S16	0	GeSbTeIn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:21
S17	146	Ge adj Sb adj Te adj In	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:43
S18	180	(Ge adj Sb adj Te adj In)or (In adj Ge adj Sb adj Te) or (Te adj In adj Ge adj Sb) or (Sb adj Te adj In adj Ge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:45
S19	170	S18 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:45

EAST Search History

S20	165	S19 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:48
S21	8844	(369/283 or 369/286 or 369/275.5 or 428/64.4 or 428/64.6 or 428/64.9 or 428/65.2 or 430/945).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:52
S22	7313	(pit or "pre pit") with (deep or depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:52
S23	4829	(pit or "pre pit") with (width or wide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:53
S24	1230	S22 same S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:53
S25	81	S24 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:10
S26	111	S24 same("200" or "250" or ".25" or ".2" or "2500" or "2000")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:12
S27	14	S26 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:17
S28	0	S25 and ("read only or ROM")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 10:18
S29	43	S25 and (reflective or "semi reflective")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:25

EAST Search History

S30	5311	(430/270.13 or 369/94 or 428/64.9 or 428/64.5 or 430/270.11 or 430/945 or 369/275.5 or 369/275.2).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:28
S31	27310	(In or indium) near10 (Ge or Germanium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:29
S32	6892	S31 near10 (antimony or Sb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:42
S33	149101	S32 near "10" (Te or Tellurium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:30
S34	1594	S33 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:31
S35	779	S34 and ("phase change")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:31
S36	554	S35 and (Ag or silver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:33
S37	29168758	@py<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:34
S38	334	S36 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:34
S39	18794	S31 and (phase change)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:42

EAST Search History

S40	4493	S39 and silver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:43
S41	2477	S40 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:43
S42	122	S41 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 16:57
S43	0	GeTeSbIn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:08
S44	6	((Ge adj Te) adj (Sb)) adj (In)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:08
S45	753267	(Al or Aluminum) same ("10" or "100" or ".01")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 16:59
S46	56	S42 and S45	USPAT	OR	OFF	2006/11/08 16:59
S47	405477	(Al or Aluminum) with ("10" or "100" or ".01")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 17:01
S48	38	S47 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 17:00
S49	70821	(Ag or silver) with ("10" or "100" or ".01")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 17:01

EAST Search History

S50	32	S49 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 17:01
S51	1	"1172811"	EPO	OR	OFF	2006/11/09 11:30
S52	1	"1229530"	EPO	OR	OFF	2006/11/09 11:52
S53	1	"20010036528"	US-PGPUB; USPAT	OR	OFF	2006/11/09 13:46
S54	1	"20020146643"	US-PGPUB; USPAT	OR	OFF	2006/11/09 13:46
S55	1720	("430/270.13" or 369/94 or 428/64.9 or 428/64.5 or 430/270.11).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:19
S56	2876	In near ("%.%" or percent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:19
S57	81412	(In or indium) near10 ("%.%" or percent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:20
S58	66	S57 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:35
S59	2050	(Ge or Germanium) near10 ("%.%" or percent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:36
S60	612	S59 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:36
S61	11	S60 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 14:41

EAST Search History

S62	288	S59 near5 ("60" or "61" or "62" or "63" or "64" or "65" or "66" or "67" or "68" or "69")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:47
S63	283	S59 near3 ("60" or "61" or "62" or "63" or "64" or "65" or "66" or "67" or "68" or "69")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 15:47
S64	2	S63 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:19
S65	99	(In or indium) near12 (percent or "%.")	JPO	OR	ON	2006/11/09 16:19
S66	3	S65 and (Ge or germanium)	JPO	OR	ON	2006/11/09 16:21
S67	80973	In same (composition\$3 or formula)	JPO	OR	ON	2006/11/09 16:21
S68	81505	(In or indium) same (composition\$3 or formula)	JPO	OR	ON	2006/11/09 16:21
S69	1032	S68 and (Ge or germanium)	JPO	OR	ON	2006/11/09 16:22
S70	574	S69 and (sb or antimony)	JPO	OR	ON	2006/11/09 16:22
S71	145	S70 and (Te or tellurium)	JPO	OR	ON	2006/11/09 16:22
S72	66	S71 and optical	JPO	OR	ON	2006/11/09 17:00
S73	358	shingai	US-PGPUB; USPAT; JPO	OR	ON	2006/11/09 17:01
S74	7	"669" and S73	US-PGPUB; USPAT; JPO	OR	ON	2006/11/09 17:01
S75	6053	(368/283 or 369/286 or 369/275.5 or 428/64.4 or 428/64.6 or 428/64.9 or 428/65.2 or 430/945 or 430/270.11).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:13
S76	1254724	"phase change" near "5" recording	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:14
S77	7308	"phase change" near5 recording	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:14

EAST Search History

S78	959	S77 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:14
S79	7188498	S76 or second or 2nd or S77 or third or 3rd or S78 or fourth or 4th	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:17
S80	6053	(368/283 or 369/286 or 369/275.5 or 428/64.4 or 428/64.6" or 428/64.9 or 428/65.2 or 430/945 or 430/270.11).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 09:31
S81	0	"20010036528"	USPAT	OR	ON	2006/11/13 14:35
S82	1	"20010036528"	US-PGPUB; USPAT	OR	ON	2006/11/13 14:35
S83	6055	(368/283 or 369/286 or 369/275.5 or 428/64.4 or 428/64.6" or 428/64.9 or 428/65.2 or 430/945 or 430/270.11).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 09:31
S84	5495	("2" or 2nd or "3" or 3rd or "4" or 4th or fourth or third or second or many or multiple or dual) and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 09:33
S85	1664812	("2" or 2nd or "3" or 3rd or "4" or 4th or fourth or third or second or many or multiple or dual) near5 (' film or layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 09:33
S86	4437	S85 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 09:34
S87	1201	S86 and "phase change"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 09:34
S88	735	S87 and (ge or germanium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:50

EAST Search History

S89	3	"20040191683"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 11:51
-----	---	---------------	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	jp-11126366-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:22
L2	2	jp-2002211137-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:27
L3	2721	(te or tellurium) adj2 ("3" or "52" or "53" or "0.5"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:37
L4	4826	(ge or germanium) adj2 (x or y or z or "30" or "31" or "32" or "33" or "34" or "35" or "36" or "37" or "38" or "0.3"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:32
L5	14	l3 same l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:37
L6	3672	(te or tellurium) adj2 ("3" or "52" or "53" or "50" or "51" or "54" or "55" or "56" or "57" or "0.5"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:38
L7	6845	(te or tellurium) adj4 ("3" or "52" or "53" or "50" or "51" or "54" or "55" or "56" or "57" or "0.5"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:39
L8	8620	(te or tellurium) near8 (ge or germanium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:39
L9	501	l7 and l8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:39

EAST Search History

L10	13606	(te or tellurium) near8 ("In" or indium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:56
L11	2916	l8 with l10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:40
L12	248	l7 and l11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:40
L13	2157	l11 with (sb or antimony)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:41
L14	170	l13 and l7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:41
L15	317446	((optical or laser or information) near5 (medium or media or disk or disc)).ti, ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:42
L16	108	l14 and l15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:44
L17	76	l16 and @ad<"20030219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:55
L18	12	(l10 and l8) and nec.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:49
L19	2	jp-2002240432-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:56

EAST Search History

L20	264	(te or tellurium) near5 (rich)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:57
L21	15	l15 and l20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 13:57

\$%^STN;HighlightOn= ***;HighlightOff=*** ;

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal756mja

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 AUG 09 INSPEC enhanced with 1898-1968 archive
NEWS 4 AUG 28 ADISCTI Reloaded and Enhanced
NEWS 5 AUG 30 CA(SM)/CAPLUS(SM) Austrian patent law changes
NEWS 6 SEP 11 CA/CAPLUS enhanced with more pre-1907 records
NEWS 7 SEP 21 CA/CAPLUS fields enhanced with simultaneous left and right
truncation
NEWS 8 SEP 25 CA(SM)/CAPLUS(SM) display of CA Lexicon enhanced
NEWS 9 SEP 25 CAS REGISTRY(SM) no longer includes Concord 3D coordinates
NEWS 10 SEP 25 CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine
NEWS 11 SEP 28 CEABA-VTB classification code fields reloaded with new
classification scheme
NEWS 12 OCT 19 LOGOFF HOLD duration extended to 120 minutes
NEWS 13 OCT 19 E-mail format enhanced
NEWS 14 OCT 23 Option to turn off MARPAT highlighting enhancements available
NEWS 15 OCT 23 CAS Registry Number crossover limit increased to 300,000 in
multiple databases
NEWS 16 OCT 23 The Derwent World Patents Index suite of databases on STN
has been enhanced and reloaded
NEWS 17 OCT 30 CHEMLIST enhanced with new search and display field
NEWS 18 NOV 03 JAPIO enhanced with IPC 8 features and functionality
NEWS 19 NOV 10 CA/CAPLUS F-Term thesaurus enhanced
NEWS 20 NOV 10 STN Express with Discover! free maintenance release Version
8.01c now available
NEWS 21 NOV 13 CA/CAPLUS pre-1967 chemical substance index entries enhanced
with preparation role

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 14:13:50 ON 14 NOV 2006

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 14:14:03 ON 14 NOV 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 13 NOV 2006 HIGHEST RN 913168-62-4
DICTIONARY FILE UPDATES: 13 NOV 2006 HIGHEST RN 913168-62-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

```
=> s te 52-53/mac
      11155 TE/MAC
      41483 52-53/MAC
L1      520 TE 52-53/MAC
      (TE/MAC (P) 52-53/MAC)
```

```
=> s ge 30-38/mac
      15760 GE/MAC
      121521 30-38/MAC
L2      1652 GE 30-38/MAC
      (GE/MAC (P) 30-38/MAC)
```

```
=> s l1 and l2
L3      49 L1 AND L2
```

```
=> s in/mac
L4      18803 IN/MAC
```

```
=> s sb/mac
L5      19201 SB/MAC
```

```
=> s l2 and (l3 or l4)
L6      73 L2 AND (L3 OR L4)
```

```
=> s l2 and and l3 and l4)
MISSING TERM 'AND AND'
The search profile that was entered contains a logical  
operator followed immediately by another operator.
```

```
=> s l2 and and l3 and l4
MISSING TERM 'AND AND'
The search profile that was entered contains a logical  
operator followed immediately by another operator.
```

```
=> s l2 and l3 and l4
L7      3 L2 AND L3 AND L4
```

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	19.92	20.13

FILE 'CAPLUS' ENTERED AT 14:15:32 ON 14 NOV 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Nov 2006 VOL 145 ISS 21
FILE LAST UPDATED: 12 Nov 2006 (20061112/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 17

L8 3 L7

=> d all 1-3

L8 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1999:648997 CAPLUS <<LOGINID::20061114>>
DN 131:279349
ED Entered STN: 12 Oct 1999
TI Manufacture of sputtering target for phase change-type optical recording disk
IN Kishi, Toshihito; Ito, Hiroyuki
PA Sumitomo Metal Mining Co., Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 4 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
IC ICM C23C014-34
ICS B22F003-105; B22F005-00; C22C028-00; G11B007-26
CC 74-12 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
Section cross-reference(s): 56

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 11279752	A2	19991012	JP 1998-80044	19980327
PRAI	JP 1998-80044		19980327		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
JP 11279752	ICM	C23C014-34
	ICS	B22F003-105; B22F005-00; C22C028-00; G11B007-26
	IPCI	C23C0014-34 [ICM,6]; B22F0003-105 [ICS,6]; B22F0005-00 [ICS,6]; C22C0028-00 [ICS,6]; G11B0007-26 [ICS,6]
	IPCR	B22F0003-105 [I,A]; B22F0003-105 [I,C*]; B22F0005-00 [I,A]; B22F0005-00 [I,C*]; C22C0028-00 [I,A]; C22C0028-00 [I,C*]; C23C0014-34 [I,A]; C23C0014-34 [I,C*]; G11B0007-26 [I,A]; G11B0007-26 [I,C*]

AB In manuf. of the sputtering targets composed of 3-50 at.% of Ge, Ag, and/or In, 10-50 at.% of Sb, .ltoreq.5 at.% of additives if necessary, and balance Te; the alloy powder is discharge plasma sintered by heating to a prescribed temp. within 30 min and by retaining at a prescribed temp. within 30 min. Preferably, the alloy powder is formed by atomizing and quenching of alloy melt. The time required for elevation of the temp. for the sintering can be shortened by carrying the discharge plasma sintering.

ST optical recording disk sputtering target alloy; antimony alloy sputtering target optical disk; plasma sintering sputtering target optical disk; phase change optical disk sputtering target; germanium alloy sputtering target optical disk; silver alloy sputtering target optical disk; indium alloy sputtering target optical disk; tellurium alloy sputtering target optical disk

IT Optical disks
Sputtering targets

(manuf. of Sb-Te alloy sputtering target for phase change optical recording disk by discharge plasma sintering)

IT Sintering
(plasma, alloy; manuf. of Sb-Te alloy sputtering target for phase change optical recording disk by discharge plasma sintering)
IT 130119-28-7, Antimony 22, germanium 22, tellurium 56 (atomic)
245671-98-1 , Antimony 10-50, germanium 0-50, indium 0-50, silver 0-50, tellurium 0-87 (atomic)
RL: PEP (Physical, engineering or chemical process); TEM (Technical or engineered material use); PROC (Process); USES (Uses)
(sputtering target; manuf. of Sb-Te alloy sputtering target for phase change optical recording disk by discharge plasma sintering)

L8 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1990:149108 CAPLUS <<LOGINID::20061114>>
DN 112:149108
ED Entered STN: 13 Apr 1990
TI Laser recording medium containing antimony-germanium-indium-tellurium alloy
IN Seo, Hisaya; Nakanishi, Toshiharu; Ohayashi, Gentaro
PA Toray Industries, Inc., Japan
SO Jpn. Kokai Tokkyo Koho, 7 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
IC ICM B41M005-26
ICS G11B007-24
CC 74-12 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 01180387	A2	19890718	JP 1988-5590	19880112
PRAI	JP 1988-5590		19880112		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
JP 01180387	ICM	B41M005-26
	ICS	G11B007-24
	IPCI	B41M0005-26 [ICM,4]; G11B0007-24 [ICS,4]

AB In the title medium in which information is recorded by irradiation with an energy beam on a recording film formed on a substrate to change the optical characteristics of the irradiated area by the heat generated directly or indirectly, the recording film is based on Te, Ge, In, and Sb and has a compn. (Te_{100-y}Ge_y)_{100-x}(In_zSb_{100-z})_z (x = at. % of In and Sb in the film; y = at. % of Ge in Ge and Te; z = at. % of In in In and Sb; 2 .ltoreq. x .ltoreq. 30; 40 .ltoreq. y .ltoreq. 60; 5 .ltoreq. z .ltoreq. 60).

ST laser recording medium antimony alloy; germanium alloy laser recording medium; indium alloy laser recording medium; tellurium alloy laser recording medium

IT Metallic glasses
RL: USES (Uses)
(antimony-germanium-indium-tellurium, for laser recording materials)

IT Recording materials
(optical, from antimony-germanium-indium-tellurium alloys)

IT ***125944-47-0*** 125944-48-1 125944-49-2 125944-50-5
RL: TEM (Technical or engineered material use); USES (Uses)
(laser recording materials contg.)

L8 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1981:557695 CAPLUS <<LOGINID::20061114>>
DN 95:157695
ED Entered STN: 12 May 1984
TI Enthalpies of mixing in the germanium-indium-tellurium system
AU Al'fer, S. A.; Vecher, A. A.; Egorov, O. A.; Mechkovskii, L. A.
CS Beloruss. Gos. Univ., Minsk, USSR
SO Zhurnal Fizicheskoi Khimii (1981), 55(6), 1613-14
CODEN: ZFKHA9; ISSN: 0044-4537
DT Journal
LA Russian
CC 69-1 (Thermodynamics, Thermochemistry, and Thermal Properties)

Section cross-reference(s): 56

AB The heats of mixing of the ternary system Ge-In-Te and quasibinary system
GeTe-In₂Te₃ were measured calorimetrically at 1250 K.

ST heat mixing germanium indium tellurium; telluride germanium indium heat
mixing; alloying heat germanium indium tellurium

IT Heat of mixing
(in germanium-indium-tellurium system)

IT Heat of alloying
(of germanium, indium, and tellurium)

IT 1312-45-4
RL: PRP (Properties)
(heat of mixing of, with germanium telluride)

IT 12025-39-7
RL: PRP (Properties)
(heat of mixing of, with indium telluride)

IT ***79330-38-4***
RL: PRP (Properties); FORM (Formation, nonpreparative)
(heats of formation of)

=> log y		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	9.67	29.80
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-2.25	-2.25

STN INTERNATIONAL LOGOFF AT 14:16:03 ON 14 NOV 2006